



Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: <u>SEPTALLOY NG 50 Capsules</u>
 Article number / formula: N071 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation : dental product
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SEPTODONT. 58 rue du Pont de Creteil 94100 Saint Maur des Fosses France Téléphone: +33(0)149767000 Fax: +33(0)148855401 msds@ septodont.com http://www.septodont.com 1.4 Emergency telephone number: France (ORFILA 24h/24) - Tel : +33 (0)1 45 42 59 59 Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel : 112
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 : • GHS06
Acute Tox. 2 H330 Fatal if inhaled. GHS08
Repr. 1BH360DMay damage the unborn child.STOT RE 1H372Causes damage to organs through prolonged or repeated exposure.GHS09GHS09
Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.
• Classification according to Directive 67/548/EEC or Directive 1999/45/EC : T+; Very toxic
R26: Very toxic by inhalation.
<i>R61-48/23:</i> May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation. (Contd. on page 2)





Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: <u>SEPTALLOY NG 70 Capsules</u>
 Article number / formula: N072 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation : dental product
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SEPTODONT. 58 rue du Pont de Creteil 94100 Saint Maur des Fosses France Téléphone: +33(0)149767000 Fax: +33(0)148855401 msds@ septodont.com http://www.septodont.com 1.4 Emergency telephone number: France (ORFILA 24h/24) - Tel : +33 (0)1 45 42 59 59 Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel : 112
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 : • GHS06
Acute Tox. 2 H330 Fatal if inhaled. GHS08
Repr. 1B H360D May damage the unborn child. STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure. GHS09 GHS09
Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.
• Classification according to Directive 67/548/EEC or Directive 1999/45/EC : T+; Very toxic
R26:Very toxic by inhalation. I : Toxic
<i>R61-48/23:</i> May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation. (Contd. on page 2)



Printing date 12.04.2013

otodon

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

(Contd. of page 1)

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

• Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP) ; 2009/2/CE (31eme ATP) ; 2006/8/CE

· Code letter and hazard designation of product:



T+ Very toxic *N* Dangerous for the environment

• Hazard-determining components of labelling: mercury

· Risk phrases:

- 61 May cause harm to the unborn child.
- 26 Also very toxic by inhalation.
- 48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

- 53 Avoid exposure obtain special instructions before use.
- 28 After contact with skin, wash immediately with plenty of water.
- 36/37 Wear suitable protective clothing and gloves.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 57 Use appropriate container to avoid environmental contamination.

· Special labelling of certain preparations:

- Restricted to professional users.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

(Contd. on page 3)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

		(Contd. of page 2
· Dangerous compone	ents:	
CAS: 7439-97-6	mercury	50-100%
EINECS: 231-106-7	😡 T+ R26; 😡 T Repr. Cat. 2 R61-48/23; 🙀 N R50/53	
	Acute Tox. 2, H330; Acute Tox. 2, H330; Repr. 1B, H360D; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Additional informat	ion: For the wording of the listed risk phrases, refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After excessive inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed :

Headache

Dizziness

Dizziness

Gastric or intestinal disorders

Unconsciousness

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed :

If swallowed or in case of vomiting, danger of entering the lungs.

Monitor circulation.

Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture : Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Mercury vapor
- · 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- Additional information

(Contd. on page 4)

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures : Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device. Ensure adequate ventilation
 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb mercury spill with absorbent material (eg powder or flowers of sulfur amalgamantes base metals such as copper or tin, or molecular sieve of copper ions and silica gel) or by vacuum suction. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 • 6.4 Reference to other sections :
- See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling :

Work in a cool and well ventilated. Avoid contact of product with skin and eyes. Do not inhale mercury. Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles:
- Store in original container in a dry, cool and well-ventilated place.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients with limit values	that require	monitoring at t	the workplace:
8	1	0	1

 7439-97-6 mercury (50-100%)

 IOELV (EU)
 Long-term value: 0.02 mg/m³

7440-22-4 silver (10-25%)

WEL (Great Britain) Long-term value: 0.1 mg/m³

IOELV (EU) Long-term value: 0.1 mg/m³

(Contd. on page 5)



Printing date 12.04.2013 Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

7440-50-8 copper (10	(Contd. of page 4
	Short-term value: 2** mg/m ³
,	Long-term value: 0.2* 1 ^{**} mg/m ³
	*fume **dusts and mists (as Cu)
Ingredients with biolo	ogical limit values:
7439-97-6 mercury (5	0-100%)
BMGV (Great Britain) 20 μmol/mol creatinine
	Medium: urine
	Sampling time: random
	Parameter: mercury
Additional informatio	
As a basis for the proc	duction of this document, the most current valid lists were used.
8.2 Exposure controls	3
Personal protective eq	quipment:
General protective an	
	beverages and petfood.
	Il soiled and contaminated clothing
	reaks and at the end of work.
Store protective clothi	
1 71	n: In case of low exposure or short-term use respiratory protection with filter Hg/P3.
Protection of hands:	
Protective	gloves
which may vary from	ble gloves does not only depend on the material, but also on further marks of quality manufacturer to manufacturer. As the product is a preparation of several substance glove material can not be calculated in advance and has therefore to be checked befor
use.	
Nitrile rubber, NBR	
Eye protection:	
Safety glas	eses with side shields.
Body protection:	
Protective	work clothing

- · 9.1 Information on basic physical and chemical properties
- General Information Appearance:
- Form:

Pasty

(Contd. on page 6) GB



Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

		(Contd. of page 5
Colour:	Grey	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not applicable.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density :	Not determined.	
· Vapour density :	Not applicable.	
• Evaporation rate :	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Segregation coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC (EC)	0.00 %	
• 9.2 Other information :	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions : No dangerous reactions known.
- \cdot 10.4 Conditions to avoid : No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: In case of fire: Mercury vapors

(Contd. on page 7)

GB



Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

(Contd. of page 6)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

7439-97-6 mercury

Oral LD50 6 mg/kg (mouse)

1 mg/kg (rat)

Dermal LD50 41 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: No irritant effect.
- On the eyes: No irritant effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Toxic

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability : No further relevant information available.
- 12.3 Bioaccumulative potential : No further relevant information available.
- · 12.4 Mobility in soil : No further relevant information available.
- Ecotoxical effects:
- **Remark:** Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects : No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation :
- Dispose of in accordance with regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)





Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

(Contd. of page 7)

Printing date 12.04.2013

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, IMDG, IATA	UN2809
14.2 UN proper shipping name	
ADR IMDG	2809 MERCURY, ENVIRONMENTALLY HAZARDOUS
IMDG IATA	MERCURY, MARINE POLLUTANT MERCURY
14.3 Transport hazard class(es)	
ADR	
Class	8 (C9) Corrosive substances.
Label	8+6.1
IMDG	
Class	8 Corrosive substances.
Label	8+6.1
IATA	
Class	8 Corrosive substances.
Label	8+6.1
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler): EMS Number:	80 F-A, <u>S-B</u>



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 70 Capsules

	(Contd. of page 3
· Segregation groups	Heavy metals and their salts (including their organometallic compounds), mercury and mercur compounds
· 14.7 Transport in bulk according to Anne	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5 kg
· Transport category	3
· Tunnel restriction code	E
· UN ''Model Regulation'':	UN2809, MERCURY, ENVIRONMENTALLY HAZARDOUS, 8 (6.1), III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H330 Fatal if inhaled.

H360D May damage the unborn child.

- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

R26 Very toxic by inhalation.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R61 May cause harm to the unborn child.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- VOC: Volatile Organic Compounds (USA, EU)
- *LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent*



Printing date 12.04.2013

otodon

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 1)

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

• Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP) ; 2009/2/CE (31eme ATP) ; 2006/8/CE

· Code letter and hazard designation of product:



T+ Very toxic *N* Dangerous for the environment

• Hazard-determining components of labelling: mercury

· Risk phrases:

- 61 May cause harm to the unborn child.
- 26 Also very toxic by inhalation.
- 48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

- 53 Avoid exposure obtain special instructions before use.
- 28 After contact with skin, wash immediately with plenty of water.
- 36/37 Wear suitable protective clothing and gloves.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 57 Use appropriate container to avoid environmental contamination.

· Special labelling of certain preparations:

- Restricted to professional users.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

(Contd. on page 3)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

		(Contd. of page 2
· Dangerous compone	ents:	
CAS: 7439-97-6	mercury	50-100%
EINECS: 231-106-7	😡 T+ R26; 😡 T Repr. Cat. 2 R61-48/23; 🞇 N R50/53	
	Acute Tox. 2, H330; & Repr. 1B, H360D; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	on: For the wording of the listed risk phrases, refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After excessive inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed :

Headache

Dizziness

Dizziness

Gastric or intestinal disorders

Unconsciousness

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed :

If swallowed or in case of vomiting, danger of entering the lungs.

Monitor circulation.

Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture : Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Mercury vapor
- · 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- · Additional information

(Contd. on page 4)

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures : Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device. Ensure adequate ventilation
 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb mercury spill with absorbent material (eg powder or flowers of sulfur amalgamantes base metals such as copper or tin, or molecular sieve of copper ions and silica gel) or by vacuum suction. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 • 6.4 Reference to other sections :
- See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling :

Work in a cool and well ventilated. Avoid contact of product with skin and eyes. Do not inhale mercury. Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles:
- Store in original container in a dry, cool and well-ventilated place.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients with limit values	that require	monitoring at t	the workplace:
8	1	0	1

 7439-97-6 mercury (50-100%)

 IOELV (EU)
 Long-term value: 0.02 mg/m³

7440-22-4 silver (10-25%)

WEL (Great Britain) Long-term value: 0.1 mg/m³

IOELV (EU) Long-term value: 0.1 mg/m³

(Contd. on page 5)



Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

Printing date 12.04.2013

7440-50-8 copper (10	(Contd. of page 4 (-25%)
	Short-term value: 2** mg/m ³
	Long-term value: $0.2*1**mg/m^3$
	*fume **dusts and mists (as Cu)
Ingredients with biol	ogical limit values:
7439-97-6 mercury (.	50-100%)
BMGV (Great Britain	n) 20 µmol/mol creatinine
	Medium: urine
	Sampling time: random
	Parameter: mercury
Additional informati	
As a basis for the pro	duction of this document, the most current valid lists were used.
8.2 Exposure control	's
Personal protective e	
General protective an	nd hygienic measures:
	, beverages and petfood.
÷	all soiled and contaminated clothing
	reaks and at the end of work.
Store protective cloth	
	n: In case of low exposure or short-term use respiratory protection with filter Hg/P3.
Protection of hands:	
Protective	gloves
Gloves material :	
	able gloves does not only depend on the material, but also on further marks of quality
	n manufacturer to manufacturer. As the product is a preparation of several substance.
	glove material can not be calculated in advance and has therefore to be checked befor
use.	
Nitrile rubber, NBR	
Eye protection:	
0	
Safety ala	sses with side shields.
Sujery giu	sses with side shields.
Body protection:	
Protective	work clothing

- · 9.1 Information on basic physical and chemical properties
- General Information Appearance:
- Form:

Pasty

(Contd. on page 6) GB



Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

	(Contd. c	of page 5
Colour:	Grey	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not applicable.	
• Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density :	Not determined.	
· Vapour density :	Not applicable.	
· Evaporation rate :	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Segregation coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC (EC)	0.00 %	
· 9.2 Other information :	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions : No dangerous reactions known.
- 10.4 Conditions to avoid : No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: In case of fire: Mercury vapors

(Contd. on page 7)

GB



Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 6)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

7439-97-6 mercury

Oral LD50 6 mg/kg (mouse)

1 mg/kg (rat)

Dermal LD50 41 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: No irritant effect.
- On the eyes: No irritant effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Toxic

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability : No further relevant information available.
- 12.3 Bioaccumulative potential : No further relevant information available.
- · 12.4 Mobility in soil : No further relevant information available.
- Ecotoxical effects:
- **Remark:** Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects : No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation :
- Dispose of in accordance with regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)





Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

(Contd. of page 7)

Printing date 12.04.2013

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, IMDG, IATA	UN2809
14.2 UN proper shipping name	
ADR	2809 MERCURY, ENVIRONMENTALLY HAZARDOUS
IMDG IATA	MERCURY, MARINE POLLUTANT MERCURY
14.3 Transport hazard class(es)	MERCORI
-	
ADR	
Class	8 (C9) Corrosive substances.
Label	8+6.1
IMDG	
Class	8 Corrosive substances.
Label	8+6.1
Class Label	8 Corrosive substances. 8+6.1
	0+0.1
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler): EMS Number:	80 F-A, <u>S-B</u>

Page 8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2013

Version number 1

Revision: 12.04.2013

Trade name: SEPTALLOY NG 50 Capsules

	(Contd. of page
· Segregation groups	Heavy metals and their salts (including their organometallic compounds), mercury and mercur compounds
· 14.7 Transport in bulk according to Anne	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5 kg
· Transport category	3
• Tunnel restriction code	E
• UN "Model Regulation":	UN2809, MERCURY, ENVIRONMENTALLY HAZARDOUS, 8 (6.1), III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H330 Fatal if inhaled.

H360D May damage the unborn child.

- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

R26 Very toxic by inhalation.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R61 May cause harm to the unborn child.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- VOC: Volatile Organic Compounds (USA, EU)
- *LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent*