

Material Safety Data Sheet

Copyright, 2011, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 3M™ ESPE™ 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEX™ CONTOURING

AND POLISHING DISCS

MANUFACTURER: 3M

3M ESPE Dental Products **DIVISION:**

ADDRESS: 3M Center

St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

Issue Date: 02/23/11

Supercedes Date: 12/31/08

Document Group: 11-2635-8

Product Use:

Intended Use:

Dental Product

Limitations on Use:

For use only by dental professionals

Specific Use:

Tooth polishing

SECTION 2: INGREDIENTS

Ldiout	C.A.S. No.	% by Wt
Ingredient CURED URETHANE BACKING ALUMINUM OXIDE GRIT AND BINDER PAPER	None	40 - 50
	None	15 - 30
	None	20 - 30

SECTION 3: HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Specific Physical Form: Abrasive discs

Odor, Color, Grade: Slight characteristic odor, Grey, brown, black, or blue discs

General Physical Form: Solid

Immediate health, physical, and environmental hazards:

No immediate health, physical, and environmental

hazards are anticipated.

MATERIAL SAFETY DATA SHEET 3M™ ESPE™ 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEX™ CONTOURING AND POLISHING DISCS 02/23/11

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact:

Dust created by cutting, grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Inhalation:

No health effects are expected.

Ingestion:

No health effects are expected.

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Skin Contact:

No need for first aid is anticipated.

Inhalation:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature

No Data Available

Flash Point

No flash point

Flammable Limits(LEL)

Not Applicable

Flammable Limits(UEL)

Not Applicable

5.2 EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

5.3 PROTECTION OF FIRE FIGHTERS

MATERIAL SAFETY DATA SHEET 3M™ ESPE™ 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEX™ CONTOURING AND POLISHING DISCS 02/23/11

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus **Special Fire Fighting Procedures:** (SCBA).

No unusual fire or explosion hazards are anticipated. Unusual Fire and Explosion Hazards:

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

Clean-up methods

Not applicable.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.

SECTION 7: HANDLING AND STORAGE

7.1 HANDLING

Avoid eye contact with dust or airborne particles. Avoid prolonged or repeated skin contact. Wash hands after handling and before eating.

7.2 STORAGE

Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 ENGINEERING CONTROLS

Not applicable.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

Avoid eye contact.

The following eye protection(s) are recommended: Safety Glasses with side shields

8.2.2 Skin Protection

Avoid prolonged or repeated skin contact. Gloves not normally required.

MATERIAL SAFETY DATA SHEET 3M™ ESPE™ 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEX™ CONTOURING AND POLISHING DISCS 02/23/11

8.2.3 Respiratory Protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

8.2.4 Prevention of Swallowing

Do not ingest. Wash hands after handling and before eating.

8.3 EXPOSURE GUIDELINES

None Established

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Specific Physical Form: Abrasive discs

Odor, Color, Grade: Slight characteristic odor, Grey, brown, black, or blue discs

General Physical Form: Solid

Autoignition temperature

Flash Point

Flammable Limits(LEL)

No Data Available
No flash point
Not Applicable

Flammable Limits(LEL)

Flammable Limits(UEL)

Root Applicable
Not Applicable
Not Applicable
Not Applicable
Not Applicable
Vapor Density

Not Applicable
Not Applicable

Vapor Pressure Not Applicable

Specific Gravity
pH

Not Applicable
Not Applicable

Melting point

No Data Available

Solubility in Water Nil

Evaporation rate

Volatile Organic Compounds

Kow - Oct/Water partition coef

Percent volatile

VOC Less H2O & Exempt Solvents

Not Applicable
Not Applicable
Not Applicable

VOC Less H2O & Exempt Solvents

Not Applicable
Not Applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid:

10.1 Conditions to avoid

None known

10.2 Materials to avoid

None known

MATERIAL SAFETY DATA SHEET 3M™ ESPE™ 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEX™ CONTOURING AND POLISHING DISCS 02/23/11

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide

Condition

During Combustion During Combustion

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined.

CHEMICAL FATE INFORMATION

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of waste product in a sanitary landfill. Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, incinerate in an industrial or commercial facility. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14:TRANSPORT INFORMATION

ID Number(s):

70-2004-2153-8, 70-2004-2154-6, 70-2004-2155-3, 70-2004-4244-3, 70-2004-7412-3, 70-2004-8096-3, 70-2004-8097-1, 70-2004-80978098-9, 70-2004-8099-7, 70-2004-8105-2, 70-2004-8106-0, 70-2004-8107-8, 70-2004-8108-6, 70-2010-3088-2, 70-2010-3089-0, 70-2010-308-0, 70-2010-308-0, 70-2010-308-0, 70-2010-308-0, 70-2010-308-0, 70-2010-32010-3090-8, 70-2010-3091-6, 70-2010-3092-4, 70-2010-3093-2, 70-2010-3094-0, 70-2010-3095-7, 70-2010-3631-9, 70-2010-3632-9, 70-2010-3092-4, 70-2010-3093-2, 70-2010-3094-0, 70-2010-3095-7, 70-2010-3631-9, 70-2010-3632-9, 70-2010-3093-2, 70-2010-3093-2, 70-2010-3093-2, 70-2010-3095-7, 70-2010-3631-9, 70-2010-3632-9, 70-2010-3093-2, 70-2010-3000-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-2, 70-2010-27, 70-2010-3633-5, 70-2010-3634-3, 70-2010-3635-0, 70-2010-3636-8, 70-2010-3637-6, 70-2010-3638-4, 70-2010-3762-2010-3638-1, 70-2010-3688-1, 70-2010-3688-1, 70-2010-3688-1, 70-2010-3088-1, 70-2010-3088-1, 70-2010-3088-1, 70-2010-3088-1, 70-2010-3088-1, 70-2010-3088-1, 70-2010-3088-1,

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

MATERIAL SAFETY DATA SHEET 3MTM ESPETM 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEXTM CONTOURING AND POLISHING DISCS 02/23/11

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

STATE REGULATIONS

Contact 3M for more information.

CHEMICAL INVENTORIES

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

INTERNATIONAL REGULATIONS

Contact 3M for more information.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

NFPA Hazard Classification

Health: 1 Flammability: 1 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision Changes:

MATERIAL SAFETY DATA SHEET 3MTM ESPETM 1958, 1980, 4850, 8690 AND 8691 SERIES SOF-LEXTM CONTOURING AND POLISHING DISCS 02/23/11

Section 1: Product name was modified.

Copyright was modified.

Section 7: Storage information was modified.

Section 8: Skin protection phrase was modified.

Section 13: Waste disposal method information was modified.

Section 8: Eye/face protection information was modified.

Section 14: Transportation legal text was modified.

Page Heading: Product name was modified.

Section 9: Boiling point information was modified.

Section 5: Flammable limits (UE) information was modified.

Section 5: Flammable limits (LEL) information was modified.

Section 5: Flash point information was modified.

Sections 3 and 9: Odor, color, grade information was modified.

Section 9: Property description for optional properties was modified.

Section 9: Flash point information was modified.

Section 9: Flammable limits (LEL) information was modified.

Section 9: Flammable limits (UEL) information was modified.

Section 14: ID Number(s) Template 1 was modified.

Section 6: 6.2. Environmental precautions heading was added.

Section 6: 6.1. Personal precautions, protective equipment and emergency procedures heading was added.

Section 10.1 Conditions to avoid heading was added.

Section 10.2 Materials to avoid heading was added.

Section 6: Personal precautions information was added.

Section 6: Environmental procedures information was added.

Section 6: Methods for cleaning up information was added.

Section 10: Materials to avoid physical property was added.

Section 10: Conditions to avoid physical property was added.

Section 8: Hand protection information was added.

Section 6: Clean-up methods heading was added.

Section 6: Release measures information was deleted.

Section 6: Release measures heading was deleted.

Section 10: Materials and conditions to avoid physical property was deleted.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

3M MSDSs are available at www.3M.com