



Sterilization & Infection Control Products

Revised 12/01/2001

MATERIAL SAFETY DATA SHEET

SECTION 1 – IDENTITY

Common name (used on label) = Chamber Brite
(Trade name & synonyms) = Chamber brite- autoclave cleaner- acidic descaler

Chemical family = Acidic salts

SECTION 2 – INGREDIENTS

Components-hazardous	CAS No.	Threshold limit value (Or other hazard data)
Sodium Gluconate	527-07-1	LD50>1000mg/kg
Citric acid	0077-92-9	LD50>1000mg/kg
Poly ethylene oxid alcohol	28027-38-3	LD50>2000mg/kg

SECTION 3 – PHYSICAL DATA

Boiling point/range: N/A	Melting point: N/A	Specific gravity: (H2O = 1)
Vapor pressure (MM HG): N/A	Vapor density (Air =1): N/A	Solubility in H2O: complete

Appearance and odor: Salts Mixture

pH: (0.5%): 2.2

SECTION 4 – FIRE AND EXPLOSION HAZARD

Flash point:	Flammable limits:	Auto ignition temp.
Lower: N/A	Upper: N/A	N/A

Extinguishing media: Water- Spray	Water- Fog	Water Stream
--------------------------------------	---------------	-----------------

Special fighting procedures: Wear self-contained breathing apparatus.
Cool fire exposed containers with water.

Tuttnauer USA Co. Ltd.
25 Power Drive, Hauppauge, New York 11788
Tel: (800) 624.5836, (631) 737.4850, Fax: (631) 737.0720
www.tuttnauer.com



Sterilization & Infection Control Products

SECTION 5 – HEALTH HAZARDS

Permissible exposure limits:

No exposure limit has been established for this mixture.

Emergency first aid procedures:

Ingestion (if swallowed):

Do not induce vomiting – give plenty of water or milk – get medical attention.

Dermal:

Wash with soap and water – get medical attention.

Eye contact:

Flush with plenty of water for at least 15 minutes – get medical attention.

If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelid open while flushing.

Inhalation:

Remove to fresh air.

SECTION 6 – REACTIVITY DATA

Stability: stable

Conditions contributing to instability: N/A

Hazard rating (NFPA 704M): Extreme high 4 High 3 Moderate 2 Slight 1 Least 0

Health (blue) 2 Flammability (red) 0 Reactivity (yellow) 0

Incompatibility – **AVOID** contact with: Strong alkalis, strong oxidizers.

Hazardous decomposition thermal and other:

Thermal: oxides of carbon.

Conditions to avoid: see above.



Sterilization & Infection Control Products

SECTION 7 – TOXICITY DATA

Route: N/E Oral: N/E Dermal: N/E Inhalation: N/E

Toxic effects/routes of entry

Eye effects: corrosive

Overexposure will cause extreme burns that may result in permanent damage to the eyes.
Exposure to low-level concentrations may cause moderate irritation or conjunctivitis.

Skin effects: irritant

Contact with skin may cause moderate to severe irritation. This product tends to remove skin oils, possibly leading to irritation and dermatitis.

Other toxic effects:

This product does not contain any components listed by IARC, NTP, or OSHA as carcinogens.

Target organ toxic:

This product may cause irritation to eyes and skin.

Toxicity comments: N/E

SECTION 8 – SPILL OR LEAK PROCEDURES

Flush with water Absorb with sand or inert material Neutralize Prevent spread or spill

Spill or release procedure:

- 1) Confine spill.
- 2) Stop leak at source if this can be done safely.
- 3) Be sure area is well ventilated.
- 4) Transfer material into drums for disposal.
- 5) Wash area with water.
- 6) Residual amounts should be flushed to chemical waste treatment.

Absorb with non-combustible material and place residue in DOT approved waste containers. **KEEP OUT** of sewers, storm drains and surface waters.

Consult federal, state or local authorities for proper disposal procedures.



Sterilization & Infection Control Products

SECTION 9- SPECAIL PROTECTION INFORMATION

Ventilation requirements: local exhaust

Eye: safety goggles

Eye protection: where there is potential for eye contact, wear chemical goggles and have eye flushing equipment immediately available.

Hand (glove type): Any non-permeable to product.

Liquid-proof rubber or neoprene gloves are recommended.

Respirator type: Cartridge

Filters Mist

Respiratory protection: Avoid breathing mist/dust. Use NIOSH/MSHA approved respiratory protection appropriate to the components, when air exposure limits are exceeded, consult respirator manufacturer to determine appropriate type of equipment. Observe use limitations specified by NIOSH/MSHA or the manufacturer. For emergency and other conditions where exposure limits may be significantly exceeded, use an approved full face, positive pressure, self-contained breathing apparatus or positive pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29CFR.1910.134.

Other protective equipment: Apron

Tuttnauer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof: no warranty of fitness for any particular purpose, warranty of merchantability, or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein release only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any other process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Tuttnauer. Tuttnauer expressly disclaims any and all liability as to results obtained from arising from any use of the product or reliance on such information.